

# Christie Vista Spyder

Broadcast  
Command and control  
Corporate  
Entertainment  
Houses of worship  
Rental and staging



## Choice. Control. Flexibility. Just what every integrator wants.

Want the same impressive video-processing capabilities as major show productions without the expense? Get the Christie® Vista Spyder video processor – then get creative. The Christie Vista Spyder has a compact design, and gives you the options, versatility and power to make it easy. Manipulate a virtually limitless variety of inputs through a single output. Stretch a single 1080i input across three or more projectors for a seamless widescreen display, or do almost anything in between, and that's just for starters.

The Christie Vista Spyder gives you total control and flexibility, so you can mix an incredible number of sources in multiple windows, create all kinds of Picture-in-Pictures, define, shape and blend borders with remarkable ease, and do it all without a hitch, every single time. What kind of input do you have? HD, DVI, Analog RGB, SDI, HD-SDI, Analog Beta Cam – Spyder has not met a source it does not like. Name it and you're mixing, animating, manipulating and projecting it.

**CHRISTIE®**

## Options, versatility and power to make processing easy

The power and flexibility of Vista Systems' video switchers and real-time windowing and composition products combined with the power, performance and reliability of award-winning Christie projection systems ensures that whatever you visualize, your Christie solution can display it.



▲ Christie projectors and Spyder in perfect blend for BBC Sport's new Walk-in World Programmes such as Match of the Day, Match of the Day 2, Football Focus, Score, Inside Sport and the World Athletic Championships in Osaka are produced from this studio.

The centerpiece of the new environment is a giant, 22-meter-long curved screen where the continuous image is created by a seven-projector blend. The seven networked Christie DS+8K projectors, each fitted with a 0.67:1 HD fixed lens and a Christie Twist module, were selected to create the perfect projection backdrop.

The background composition is provided by a three-output HD-SDI feed from the 1080i client media servers. These are controlled by a Spyder using the Vista Sourcemaster control unit. The signals are then sent from the Spyder to the projectors via a 50-meter DVI-D fiber source feed from a 10 in/10 out Spyder system in the first floor control room.

### Modularity allows you to mix and match

Perhaps the best thing about the Christie Vista Spyder system is its incredible versatility. Between the 200 and 300 Series, there are 23 different models to choose from, all of which are compatible and configurable with each other. You can create almost any size system you need, depending on your budget, and the demands of your application. Choice is the operative word – made possible through the modular design that allows you to link together the optimum number of inputs, outputs and processors.



▲ A modular system provides flexibility to customize to your application and budget.

### With processing this easy, everyone will be doing it

The Christie Vista Spyder's intuitive user interface allows you to perform even the most complex tasks with simplicity and ease. Start by building virtual pixel spaces that represent a display or multiple displays.

Mix any input anywhere on any display and create a variety of motion effects and controls using simple keyframes to plot the movement. While you're at it, create any kind of window border or drop shadow with adjustable color, width, softness, shadow offset and transparency. It's easy!

And, we haven't even mentioned Christie Vista Spyder's wide-screen capabilities. Outputs – which can be projectors, LED walls, video walls, recording devices, operator monitors, and the like – can overlap horizontally or vertically with 10-bit edge blending and user-definable blend regions that define the words "seamless" and "awesome".

### Choose your Christie Vista Spyder

The Christie Vista Spyder is suitable for any market – broadcast, command and control, rental and staging, entertainment, higher education, houses of worship and corporate. Whether you are a novice or a seasoned pro, there is a Christie Vista Spyder made just for you.

Every Christie Vista Spyder frame model has a simple code to identify its capability.


The first number defines series, 200 or 300, the second number is the number of universal inputs and the third number is the number of outputs.

		Spyder 200 Series	Spyder 300 Series
<b>Input</b>	standard optional signals	<ul style="list-style-type: none"> <li>• Universal input, HD15, Dual link DVI-D, SDI, HD-SDI</li> <li>• Analog Composite BNC, S-video</li> </ul>	
	signals	<ul style="list-style-type: none"> <li>• Analog RGB, RGBS, RGsB, YUV, composite, component</li> <li>• DVI, single-link and dual-link • SDI, HD-SDI</li> </ul>	
	pixel clock	• Analog up to 165 MHz • DVI up to 210 MHz	
	resolutions	• Up to 2048 x 1200 on analog and 2048 x 1536 on DVI-D	
	scan rates	• Up to 120Hz dependant on pixel clock rate maximum	
<b>Output<sup>1</sup></b>	standard optional signals	<ul style="list-style-type: none"> <li>• Universal output, HD15, Dual-link DVI-D (X2), SDI, HD-SDI</li> <li>• Analog Composite BNC, S-video</li> </ul>	
	signals	<ul style="list-style-type: none"> <li>• Analog RGB, RGBS, RGsB, YUV, composite, component</li> <li>• DVI, single-link and dual-link • SDI, HD-SDI</li> </ul>	
	pixel clock	• Analog up to 165 MHz • DVI up to 210 MHz	
	resolutions	• Up to 2048 x 1200 on analog and 2048 x 1536 on DVI-D	
	scan rates	• Up to 120Hz dependant on pixel clock rate maximum	
<b>Control and networking</b>	• RS-232 in/out • Ethernet (10/100)		
<b>Accessories</b>	standard	• AC power cord • Control software • Rack hardware	
	optional	• Remote CPU for secure environments	
<b>Enhanced feature sets</b>	<ul style="list-style-type: none"> <li>• Output rotation on DX4 output cards only</li> <li>• 2 out of 4 outputs available only with rotation</li> </ul>		
<b>Power requirements</b>	operating voltage	• 115-230 VAC @ 50/60Hz, 225W	• 100-240 VAC @ 50/60Hz, 4.3A
	max current	• 3.0A @ 100 VAC	• 5.0A @ 100 VAC
	max power	• 225W	• 375W
	dissipation	• <500 BTU/hr	
<b>Dimensions</b>	space requirements	• 2RU	• 3RU
	size	• (LxWxH): 22.1 x 17.3 x 3.5" (561 x 439 x 89mm)	• (LxWxH): 22.1 x 17.3 x 5.3" (561 x 439 x 134mm)
	shipping size	• (LxWxH): 26.8 x 22 x 10.3" (681 x 559 x 262mm)	• (LxWxH): 26.8 x 22 x 10.3" (681 x 559 x 262mm)
	volume	• 1338in <sup>3</sup>	• 2026in <sup>3</sup>
	weight	• 25lbs (11kg)	• 33lbs (15kg)
	shipping weight	• 38lbs (17kg)	• 45lbs (20kg)
	<b>Operating environment</b>	• Temperature: 40-95°F (5-35°C) • Humidity: 20-80% non-condensing	
<b>Regulatory approvals</b>	<p>This product conforms to the following directives, regulations and regulatory approvals related to product safety, environmental requirements and electromagnetic compatibility (EMC):</p> <ul style="list-style-type: none"> <li>• Directives: (EC) 2002/95/EC (RoHS) • 2002/96/EC (WEEE)</li> <li>• Regulations: (EC) No. 1907/2006 (REACH) • Regulatory Approvals: CAN/CSA-C22.2 No 60065-1 • UL 60065-1 • IEC60065-1 • FCC Part 15, Subpart B Class A • EN55103-1 • EN55103-2 • EN61000-3-2 • EN61000-3-3</li> <li>• Certification marks (check with Christie for latest update): cULus (Canada &amp; US), CE (EU), CCC (China), C-Tick (Australia &amp; New Zealand), S-Mark (Japan), KC (Korea)<sup>1</sup></li> </ul>		
<b>Limited warranty</b>	<ul style="list-style-type: none"> <li>• One year parts and labor</li> <li>• Contact an authorized Christie representative for full details of our limited warranty</li> </ul>		

Spyder 200 Series models		
Model 207	outputs	7
Model 213	inputs	1
	outputs	3
Model 222	inputs	2
	outputs	2
Model 225	inputs	2
	outputs	5
Model 231	inputs	3
	outputs	1
Model 234	inputs	3
	outputs	4
Model 240	inputs	4 expansion processor
Model 204	outputs	4 expansion processor

Spyder 300 Series models		
Model 317	inputs	1
	outputs	7
Model 326	inputs	2
	outputs	6
Model 335	inputs	3
	outputs	5
Model 344	inputs	4
	outputs	4
Model 3410	inputs	4
	outputs	10
Model 3413	inputs	4
	outputs	1 universal DX4 card
Model 353	inputs	5
	outputs	3
Model 359	inputs	5
	outputs	9
Model 362	inputs	6
	outputs	2
Model 365	inputs	6
	outputs	5
Model 368	inputs	6
	outputs	8
Model 371	inputs	7
	outputs	1
Model 374	inputs	7
	outputs	4
Model 308	outputs	8 expansion processor
Model 380	inputs	8 expansion processor

Using a Christie Vista Spyder 353 as an example:



Expansion and Composite/S-video available on all models.



▲ Using a Christie Vista Spyder 353 as an example: 3 – 300 series, 5 – five universal inputs, 3 – three universal outputs.

▲ Intuitive user interface enables even complex tasks to be completed with simplicity and ease.

<sup>1</sup> Not all models have KC certification, please check with Christie to confirm.

#### Corporate offices

---

Christie Digital Systems USA, Inc  
USA – Cypress  
ph: 714 236 8610

Christie Digital Systems Canada Inc.  
Canada – Kitchener  
ph: 519 744 8005

#### Independent sales consultant offices

---

Italy  
ph: +39 (0) 2 9902 1161

South Africa  
ph: +27 (0) 317 671 347

#### Worldwide offices

---

United Kingdom  
ph: +44 (0) 118 977 8000

Germany  
ph: +49 2161 664540

France  
ph: +33 (0) 1 41 21 44 04

Spain  
ph: +34 91 633 9990

Eastern Europe and  
Russian Federation  
ph: +36 (0) 1 47 48 100

United Arab Emirates  
ph: +971 4 3206688

India  
ph: (080) 41468940

Singapore  
ph: +65 6877 8737

China (Shanghai)  
ph: +86 21 6278 7708


China (Beijing)  
ph: +86 10 6561 0240

Japan (Tokyo)  
ph: 81 3 3599 7481

Korea (Seoul)  
ph: +82 2 702 1601



For the most current specification information, please visit [www.christiedigital.com](http://www.christiedigital.com)

 Copyright 2011 Christie Digital Systems USA, Inc. All rights reserved. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Christie Digital Systems Canada Inc.'s management system is registered to ISO 9001 and ISO 14001. Performance specifications are typical. Due to constant research, specifications are subject to change without notice.  
Printed in Canada on recycled paper. 2952 Nov 11

**CHRISTIE®**